

Test Report No.:

04/E/2493-04/E/2501, 04/E/2683

Date:

31.05.2004

EN 71 PART 3 : 1994 - MIGRATION OF CERTAIN ELEMENTS

ELEMENT	SAMPLE (mg/kg)				LIMIT (mg/kg)	DETECTION LIMITS (ppm)
	5	6	7	8		
CHROMIUM (Cr) SOLUBLE	2.5	1.8	6.2	2.2	60	0.05
CADMIUM (Cd) SOLUBLE	ND	ND	ND	ND	75	0.05
BARIUM (Ba) SOLUBLE	4.9	ND	ND	6.5	1000	0.2
MERCURY (Hg) SOLUBLE	ND	ND	ND	ND	60	0.1
ARSENIC (As) SOLUBLE	ND	ND	ND	ND	25	0.1
SELENIUM (Se) SOLUBLE	ND	ND	ND	ND	500	0.2
ANTIMONY (Sb) SOLUBLE	ND	ND	ND	ND	60	0.2
LEAD (Pb) SOLUBLE	1.9	1.2	1.7	1.9	90	0.05
CONCLUSION	PASS	PASS	PASS	PASS		

ELEMENT	SAMPLE (mg/kg)				LIMIT (mg/kg)	DETECTION LIMITS (ppm)
	9	10	11	12		
CHROMIUM (Cr) SOLUBLE	2.5	2.9	2.6	3.1	60	0.05
CADMIUM (Cd) SOLUBLE	ND	ND	ND	ND	75	0.05
BARIUM (Ba) SOLUBLE	8.5	ND	4.8	6.8	1000	0.2
MERCURY (Hg) SOLUBLE	ND	ND	ND	ND	60	0.1
ARSENIC (As) SOLUBLE	ND	ND	ND	ND	25	0.1
SELENIUM (Se) SOLUBLE	ND	ND	ND	ND	500	0.2
ANTIMONY (Sb) SOLUBLE	ND	ND	ND	ND	60	0.2
LEAD (Pb) SOLUBLE	2.2	1.7	1.5	2.4	90	0.05
CONCLUSION	PASS	PASS	PASS	PASS		

NOTE: ND - NOT DETECTED

End of Report

Checked by

M. Kalingasinghe

Signed for and on behalf of
SGS Lanka (Pvt) Ltd.

Chandralal
LABORATORY MANAGER
(C. CHANDRALAL)

This report is issued by the Company under its General Conditions Printed Overleaf. The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, the test terms will not be retained by the Company for more than three months. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. The test report cannot be reproduced, except in full, without prior written permission of the company.